

Portland (207) 828-2121 Saco (207) 710-5504 Windham (207) 553-7246 1-800-439-0274 www.orthoassociates.com

PATELLOFEMORAL PROTOCOL STRENGTHENING EXERCISES



Quad Set

Tighten the front thigh muscles (quadriceps) keeping the knee as straight as possible. Concentrate on contracting the inner quad muscle (VMO). Hold as tight as possible for 5 seconds, then completely relax the muscle.

Reps	Sets	Tempo

Straight Leg Raise

Lean back on you elbows with your involved leg straight out and uninvolved bent. Keeping you leg straight, toes pulled towards shin, tighten VMO then lift your heel 12 inches. Hold for 5 seconds, then slowly return to starting position.



Reps	Sets	Tempo



Inside Leg Raise

Lie on your side, with the uninvolved leg on top. Place the top foot just in front of the involved knee. Straighten the involved knee, pull the foot toward shin, tighten the VMO then lift the leg toward the ceiling. Hold for 5 sec, and then slowly return to the resting position.

Reps	Sets	Tempo
IZED2	5612	I embo



Calf Raises

Stand with weight equally distributed on both feet. Push through toes to lift heels off floor. Hold for 5 seconds and then slowly lower to the resting position.

Reps	Sets	Tempo


(Continued)

Physical Therapy Center Patellofemoral Protocol Strengthening Exercises Page 2

Squat



Stand with feet hip width apart and feet oriented forward. Begin movement by squatting down with hips going back and chest going forward like your sitting in a chair. Knees in alignment with, but do not go past your second toe. Do not allow knee to collapse inward, excessive arching in low back, and descend until hip height is even with the knees. Return to starting position.



Stand with feet apart with involved leg forward. Align hip and knee with second toe. Maintaining a straight spine slowly lower the uninvolved knee to the ground pausing just before the floor. Do not allow knee to go beyond the second toe. It is important to keep a good arch in the foot and avoid having the knee collapse inward. Slowly return to the starting position.

Reps	Sets	Tempo
------	------	-------

Clam

Lie on uninvolved side with knees bent and band around knees. Keeping heels together rotate involved knee toward ceiling. Take careful consideration not to roll top hip or trunk. Hold contraction for 5 sec and slowly return to starting position.

1	1	

Reps __ Sets____ Tempo____

(Continued)

Physical Therapy Center Patellofemoral Protocol Strengthening Exercises Page 3

Single Leg Balance





Knee Straight

Knee Bent

Stand on involved knee. Focus on maintaining a neutral position in the arch of your foot. Maintain a forward orientation of your entire leg, avoiding inward rotation of the leg and collapsing of the foot.

Rens	C - 4	Hold	
RANG	Sets	HAIA	

TKE



Start



Finish

Start exercise with band behind slightly bent involved knee. Weight equally distributed between both feet with hip and knee aligned with second toe. Push through heel, tighten the quadriceps, and straighten the knee. Hold the contraction for 5 sec and slowly return to the starting position.

Reps Sets Hold	Sets Hold

Step downs

Stand on edge of step with involved leg, slowly perform single leg squat until uninvolved foot touches floor, slowly straighten involved knee, squeezing quad through the whole motion.